

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	204	264/244	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 11:12
S2	2	"4853001".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 14:25
S3	3	"3855657".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:28
S4	1	"10506916".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:30
S5	7	"506916".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:30
S6	6	"2161902".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:36
S8	0	12/67.2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:37
S9	919428	"12".clas. and shoe mold\$2	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:37
S10	4	"863160".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:42
S11	3	"3042975".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:43
S12	2	"5247741".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:47
S13	7	"2062339".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:48
S14	62	12/67.2.ccls.	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 15:56
S18	4207937	GB- a840029-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:19
S20	0	GB-a-840029-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:19
S21	2227	GB-a 840029-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:20
S23	2	EP-840029-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:23
S25	1	GB-1258966-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:29

S26	:4	"4217081".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:42
S27	:221	264/244	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:43
S28	:15	264/DIG S20	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:45
S29	:0	264/DIG18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:46
S30	:15	(264/DIG S20)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:46
S31	:143	(264/DIG.18)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:46
S32	:0	(264/DIG.18.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:47
S33	:2022	"264".clas. and (shoe (mold mould molding) adj polyurethane)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:48
S34	:2022	("264".clas. and (shoe (mold mould molding) adj polyurethane))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:48
S35	:4039	"264".clas. and (shoe sole (mold mould molding) adj polyurethane)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:53
S36	:13	"264".clas. and (shoe (mold mould molding) adj polyurethane) with welt	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 16:54
S37	:9	"425".clas. and (shoe (mold mould molding) adj polyurethane) with welt	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:23
S39	:209	"36".clas. and (shoe (mold mould molding) adj polyurethane) with welt	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:23
S41	:162	425/119	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:24
S42	:57	425/124	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:24

S43	957	425/383	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:24
S44	10	S41 and S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:24
S45	12	S41 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:25
S46	14	S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:25
S47	16	12/4.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:25
S48	10	12/4.2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:25
S49	12	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:25
S50	21	12/14.3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:25
S51	16	12/33.4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:25
S52	151	12/48	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:25
S53	10	12/67.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:26
S54	46	12/67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:26
S55	258	36/87	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:26
S56	143	36/78	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:26
S57	1	S55 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:26
S58	39	106/38	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:26

S59	0	106/242.8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:26
S60	0	106/242.8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:26
S61	76	106/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:27
S62	40	12/67.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:27
S63	0	sommerlund-jens.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:33
S64	0	sommerlund-j.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:33
S65	5	sommerlund.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:33
S66	4	hansen-hans-christian. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/19 17:34
S67	181	"264".clas. and (project \$4 adj flange\$2)	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:34
S68	4340863	"264".clas. and (project \$4 adj flange\$2) same welt\$4 apparatus	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:34
S69	14	"264".clas. and ((project\$4 adj flange \$2) same (welt\$4 apparatus)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:35
S70	14	("264".clas. and ((project\$4 adj flange \$2) same (welt\$4 and shoe apparatus)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:36
S71	14	("264".clas. and ((project\$4 adj flange \$2) same (welt\$4 adj shoe apparatus)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:36
S72	1	("12".clas. and ((project\$4 adj flange \$2) same (welt\$4 adj shoe apparatus)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:37
S73	19	("425".clas. and ((project\$4 adj flange \$2) same (welt\$4 adj shoe apparatus)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:37

S74	0	("425".clas. and ((project\$4 adj flange \$2) same (welt\$4 adj shoe )))	USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:38
S75	61	("425".clas. and ((project\$4 adj flange \$2) same (welt\$4 adj shoe (mold mould molding))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 11:39
S76	4	"4217081".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:16
S77	4	("3042975"   "3705934"   "3813201").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:16
S78	2	("3042975").URPN.	USPAT	OR	OFF	2008/03/25 12:17
S79	1	"4032611".pn.	USPAT	OR	OFF	2008/03/25 12:18
S80	1	"3949040".pn.	USPAT	OR	OFF	2008/03/25 12:19
S81	1	"3671621".pn.	USPAT	OR	OFF	2008/03/25 12:19
S82	1	"3669590".pn.	USPAT	OR	OFF	2008/03/25 12:20
S83	1	"7028852".pn.	USPAT	OR	OFF	2008/03/25 12:22
S84	1	"5855925".pn.	USPAT	OR	OFF	2008/03/25 12:23
S85	16	12/4.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:24
S86	91	"12".clas. and (shoe (mold mould molding) adj polyurethane) with welt	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:26
S87	57	425/124	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:30
S88	2	"6192605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:31
S89	10	("1522564"   "1922430"   "2337121"   "2958965"   "4182055"   "5743027").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:31
S90	1	"5768801".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:32

S91	1	"6660205".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:33
S92	1	"4960374".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:34
S93	1	"3677678".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:34
S94	1	"4562606".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:35
S95	5	("3949040"   "4024652"   "4245406"   "4302416"   "4407034").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:35
S96	1	"6113383".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:37
S97	16	12/4.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:38
S98	319441	((shoe (mold\$3 mould \$3 molding) and apparatus)and (upper mold part with (projection\$1 flange)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:40
S99	4	((shoe (mold\$3 mould \$3 molding) and apparatus)and (upper mold part with (projection\$1 flange))) and welt adj method	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:40
S100	368	((shoe (mold\$3 mould \$3 molding) and apparatus)and (upper mold part with (projection\$1 flange))) and welt and method	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/03/25 12:41
S101	10	("0148189"   "1688466"   "1842719"   "2082196"   "2641004").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:43
S102	10	("3109701"   "3332097"   "3341895"   "3466684"   "3477096").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:46
S103	0	S78.clas. and (mold part with (projection flange))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:49
S104	0	S78.clas. and (mold part and (projection flange))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:49

S105	0	S78.clas. and (projection flange)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:49
S106	15826	"264".clas. and (projection flange)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:50
S107	51720	"264".clas. and (mold part and (projection flange))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:50
S108	99	"264".clas. and (mold part and (projection flange)) and welt	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:50
S109	26	"264".clas. and (mold part and (projection flange)) and welt and polyurethane	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/25 12:59
S110	5794	"264".clas. and (mold with support)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 14:02
S111	14	"264".clas. and ((mold with support) and welt)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 14:04
S112	1	"3965517".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 14:18
S113	1	"4003145".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 14:38
S114	4	"264".clas. and ((insole with (perforation\$1 hole\$1 aperture\$1)) and welt)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 14:56
S115	1	"6802138".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 15:05
S116	44	("1559532"   "1717122"   "1718906"   "1724349"   "1781715"   "1973105"   "1993208"   "2139260"   "2529034"   "2607061"   "3005272"   "3006085"   "3834046"   "4120102"   "4610099"   "4654982"   "4783910"   "4843741"   "4845863"   "5068983"   "5179791"   "5311677"   "5435078"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 15:09

		"5542195"   "5768801"   "5775005"   "5815949"   "5911491"   "6145220"   "6226895"   "6574886"   "6581305").PN.				
S117	16	"3821827"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 15:22
S118	1	S117.pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 15:22
S119	29	((insole adj attach\$4) with welt)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 15:24
S120	0	((insole adj attach\$4) with welt) with (perforation\$1 hole\$1 aperture\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/26 15:25

3/28/2008 12:21:02 PM

C:\Documents and Settings\lfelau\My Documents\EAST\Workspaces\10506916.wsp